

HIGH PERFORMANCE
DISPLAY SYSTEMS

Classic & Light frame



-



962 X 2 500 mm	28.0 kg
1 837 X 2 500 mm	34.5 kg *
2 712 X 2 500 mm	41.0 kg *
3 587 X 2 500 mm	47.0 kg **

CE

Safety tested and approved by Intertek according to:
European Union Standards (CE):
IEC 60598-2-1:1979+A1, EN 60598-1:2015+A1, EN 60598-2-1:1989, IEC 60598-1:2014(AMD1:2017, IEC 62031
IEC 62471:2006



962 X 2 500 mm	25.8 kg
1 837 X 2 500 mm	32.5 kg *
2 712 X 2 500 mm	39.2 kg *
3 587 X 2 500 mm	45.4 kg **



PACKAGE

1 837 X 2 500 mm	39.2 kg *
2 712 X 2 500 mm	45.9 kg *
3 587 X 2 500 mm	52.1 kg **



Safety tested and approved by Intertek according to:
North American Standards (ETL):
CSA C22.2#250.0:2018 Ed.4, UL 153:2014 Ed13+R27.Jul2018



Light Frame

Build with light. Shine your brand.

Let us introduce Light Frame which is part of the Frame family. Light Frame is a portable, backlit aluminium frame for SEG, fabric print and no tools are required for the installation.

Are you looking for illuminating larger graphics with high-power LED and boost your brand? Light Frame is the solution!

Light Frame

Combine and shine

Build whatever




CONNECTORS

Connect frames, with or without lights, straight or in angle. More combinations and solutions are presented on www.expolinc.com

SUPPORTING FEET

Single sided or double sided foot depending on your need.



Safety tested and approved by Intertek according to:
European Union Standards (CE)
IEC 60598-2-11979-41, EN 60598-1:2015-41, EN 60598-2-11985, IEC 60598-1:2014/AM2:2017, IEC 62031
IEC 60712:2006



Safety tested and approved by Intertek according to:
North American Standards (ETL)
CSA C22.2-W250.0:2018 E6.4, UL 153:2014 E6.3-H.21:Jul2018

Light Frame connected with Classic Frame.

2.25 m, 2.5 m or 3 m



Build flexible and complex solutions.

Combine Light Frame and Classic Frame to create amazing environments. Build various heights and widths in different combinations in only a few steps. Reuse and resize for your next event, the only thing you might need to replace is the graphic. This is what we call sustainable and flexible!



Watch the movie about
Light Frame at
aaadisplay.com

Powerful LED lights embedded



LED lights protected in light profile section. Optimized profile gives even reflection.



Connectors are integrated in corner hubs.



Robust and easy-to-use connector gives excellent stability.



Safety tested and approved by Intertek according to:
European Union Standards (CE)
IEC 60598-2-13579-41, EN 60598-1:2015-41, EN 60598-2-13579, IEC 60598-1:2014/AM1:2017, IEC 62031
IEC 62471:2006



Safety tested and approved by Intertek according to:
North American Standards (ETL)
CSA C22.2-M250.0-2010 Ed.4, UL 153-2014 Ed.19-R.27 Jul2018



Discover the
world of
great music


JOIN US NOW



Join the team.
Apply now.

MEDICINE - HEALTH






Classic Frame

MONITOR STAND

Can be combined
with Monitor Stand.
Read more on page 15.

New!



- DOUBLE SIDED
- PORTABLE AND TOOLLESS
- MAGNETIC CLUTCH. ASSEMBLING MADE SIMPLE
- FRAMES TO COMBINE OR STAND ALONE. SEAMLESS



BASIC PACKAGE

500 X 2 500 mm.....	9.5 kg
950 X 2 500 mm.....	10.4 kg
1 950 X 2 500 mm.....	13.4 kg
2 950 X 2 500 mm.....	16.5 kg *
3 950 X 2 500 mm.....	20.4 kg **
4 950 X 2 500 mm.....	25.0 kg ***

The packages includes a complete frame, packed in a delivery box.
*Incl. 1 supporting rod. **Incl. 2 supporting rods. ***Incl. 3 supporting rods.



TRAVEL PACKAGE

1 950 X 2 500 mm.....	15.9 kg
2 950 X 2 500 mm.....	19.0 kg *
3 950 X 2 500 mm.....	22.9 kg **
4 950 X 2 500 mm.....	27.5 kg ***

The packages includes a complete frame, delivered in a soft bag with wheels.
*Incl. 1 supporting rod. **Incl. 2 supporting rods. ***Incl. 3 supporting rods.



STANDARD CASE XL PACKAGE

1 950 X 2 500 mm.....	23.9 kg
2 950 X 2 500 mm.....	27.0 kg *
3 950 X 2 500 mm.....	30.9 kg **
4 950 X 2 500 mm.....	35.5 kg ***


The packages includes a complete frame, delivered in a Standard Case XL.
*Incl. 1 supporting rod. **Incl. 2 supporting rods. ***Incl. 3 supporting rods.



Addition, Standard Case XL:
White or silver top shelf.

Classic Frame

Scalable dimensions



Let us introduce Classic Frame. It requires no tools or specialized labor to setup. The unique magnetic connectors guide you to a smooth, stable and safe installation. The systems design consists of smooth, rounded edges along with profiles with high surface finish for a stylish environment.

The Classic Frame system - Whether you need a simple backwall or an advanced enviroment.



Classic Frame

The choice is yours

Build whatever



Watch the movie about
Classic Frame at expolinc.com



SUPPORTING RODS

Four heights available.
2m, 2.25m, 2.5m and 3m.



LIGHTS

LED spotlight incl bag.

CONNECTORS

Six different connectors to combine
your unique frame system.



STABILIZING FEET

Four different types:
Double sided pair, single sided pair, single sided connection
foot & double sided connection foot.




Different types of connectors.



Classic Frame Storage Room

Storage space

- LOCKABLE, PORTABLE AND TOOLLESS.
- OPTIONAL SHELF
- AVAILABLE WITH LEFT OR RIGHT HANG DOOR



STORAGE ROOM

Width (mm)	950
Height (mm)	2 495
Depth (mm)	1 000
Weight	47,0 kg



Watch the movie about
Classic Frame Storage at expolinc.com

Classic Frame Counter

Stable and solid

- EASY TO SET-UP
- PERFECT FOR MEETINGS OR DEMO TABLE
- STABLE SHELF FOR MARKETING MATERIAL



Watch the movie about
Classic Frame Counter at expolinc.com



950 X 990 mm



1950 X 990 mm

COUNTER

Width (mm)	950 / 1950
Height (mm)	990 / 990
Depth (mm)	410 / 410
Weight	33.5 kg / 44,0 kg



Case & Counter



- CONVERTS INTO A LARGE FORMAT COUNTER IN MINUTES
- A COMPLETE EXHIBITION STAND TRANSPORTED IN ONE BOX
- MADE OF DURABLE MATERIALS AND FITS MOST CARS

SHELF IN SILVER

The topshelf for double Case & Counter is available in silver.



Case & Counter

From case to counter in a minute

A spacious transport case that takes just one minute to convert into a stylish and stable counter with internal shelves. Materials are carefully selected for durability and user friendliness. Two cases can easily be connected with a single top shelf. This is the king of portable counters!



SINGLE CASE

Size folded (mm)	D415xW640xH1000
Size extended (mm)	D590xW1390xH1010
Weight incl. top shelf (kg)	22,0
Volume (L)	196

TWO CASES

Total size 2 boxes (mm)	D830xW640xH1000
Weight 2 boxes incl 1 top shelf (kg)	40,9
Size top shelf folded (mm)	D470xW740xH28
Size top shelf unfolded (mm)	D940xW740xH12
Volume (L)	2x196 (=392)



TOP SHELVES

Top shelves available in silver or stone.



The top shelf is easily secured.



Professional finish on all details.



Watch the movie about
Case & Counter at expolinc.com

Monitor Stand

Unleash your creativity

A stylish Monitor Stand that are both discrete and functional, made to enhance your communication with customers. Very stable stand to be used freestanding or integrated with a backwall system.



FACTS MONITOR STAND

Monitor Stand	Info
Height (mm)	1810
Weight (kg)	14
Max screen weight	15 kg (about 55")



Watch the movie about
Monitor Stand at expolinc.com



Monitor Stand is transported in a
nylon bag with carrying handles.

- STYLISH DESIGN WITH HIGH FINISH
- MOUNT UP TO 15 KG MONITOR. (ABOUT 55")
- EASY TO ASSAMBLE

Portable Table

With Portable Table you will get two tables in one. Just switch between bar height and sitting height depending on the situation. All parts are delivered in a compact carrying bag that also fits in any of the Expolinc boxes. With Portable Table you will always have a place at hand for presentations or to have a coffee with your customers.

- COMPACT PACKAGE, WEIGHS ONLY 10 KG
- TWO HEIGHTS IN THE SAME PACKAGE

FACTS PORTABLE TABLE

Height, bar table	1 075 mm
Height, coffee table.....	665 mm
Weight complete.....	10 kg
Bag.....	440x600 mm
Top	410x560 mm

Portable Table is transported in a nylon bag with carrying handles.

Bring your own table to the event





Lifetime warranty

We are so confident in the function and quality of our systems that we give a lifetime warranty on all our products.

**We create marketing
tools for professionals**

HIGH PERFORMANCE
DISPLAY SYSTEMS

AAADISPLAY.COM